

SAFETY DATA SHEET

1. Identification

Product identifier FRIGOMET 81 N

Other means of identification

Article-No. 40923010

Water-miscible metal working fluid. Industrial use. Recommended use None known.

Recommended restrictions

Manufacturer/Supplier

Oemeta, Inc.

5655 West 610 South Salt Lake City, UT 84104 Phone: (+1) 801 953-0134 Fax: (+1) 801 953-0446

Further information obtainable from

Oemeta Service

Phone: (+49) 4122-924-132 Fax: (+49) 4122-924-157

Emergency Telephone

Number

Toll Free Access within USA, Canada, Mexico: 1.866.519.4752 (24h)

Outside of the US please call: (+1) 760 476 3962 (24h)

Please provide the following code: 333910

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 2A

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.

If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Response

Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off

contaminated clothing and wash before reuse.

Store away from incompatible materials. Storage

Disposal Dispose of waste and residues in accordance with local authority requirements.

Material name: FRIGOMET 81 N SDS US 1/8



Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

Not classified as hazardous according to GHS when diluted to 20% or less.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Boric acid		10043-35-3	1 - < 5
Ethanol, 2,2',2"-nitrilotris-		102-71-6	1 - < 5
Ethanol, 2-amino-		141-43-5	1 - < 3
Other components below reportab	le levels		90 - < 100

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

vision. Skin irritation. May cause redness and pain.

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and delayed

Indication of immediate medical attention and special

medical attention and specia treatment needed

General information

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: FRIGOMET 81 N SDS US



Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

110	OCHA Table	7-1 Limite f	for Air	Contaminants	/20 CED	1010 1000
US.	OSTA Table	Z-I LIIIIIIS I	ior Air	Contaminants	(29 CFR	1910.1000)

Components	Type	Value	
Ethanol, 2-amino- (CAS 141-43-5)	PEL	6 mg/m3	
		3 ppm	
US. ACGIH Threshold Limit Value	es		
Components	Туре	Value	Form
Boric acid (CAS 10043-35-3)	STEL	6 mg/m3	Inhalable fraction.
	TWA	2 mg/m3	Inhalable fraction.
Ethanol, 2,2',2"-nitrilotris- (CAS 102-71-6)	TWA	5 mg/m3	
Ethanol, 2-amino- (CAS 141-43-5)	STEL	6 ppm	
,	TWA	3 ppm	
US. NIOSH: Pocket Guide to Che	mical Hazards		
Components	Туре	Value	
Ethanol, 2-amino- (CAS 141-43-5)	STEL	15 mg/m3	
		6 ppm	
	TWA	8 mg/m3	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.

3 ppm

Individual protection measures, such as personal protective equipment

Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles).

Material name: FRIGOMET 81 N SDS US



Skin protection

Hand protection Wear appropriate chemical resistant gloves. Recommendation: 706 Lapren (KCL, Germany) with a

layer thickness of at least 0.6 mm. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be

calculated in advance and has therefore to be checked prior to the application.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Where breathable

aerosols/dust are formed, use suitable combination filter for gases/vapours of organic, inorganic,

acid inorganic, alkaline compounds and toxic particles (e.g. type A/P2; EN 14387).

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Physical stateLiquid.ColorDark yellow.

Odor Mild.

Odor thresholdNot available.pH9.1 DIN 51369Melting point/freezing pointNot available.Initial boiling point and boilingNot available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%)
Explosive limit - upper (%)

Not available.
Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Solubility (water)Soluble.

Partition coefficient

(n-octanol/water)

Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Density 1084.00 kg/m³ DIN 51757

Explosive properties Not explosive.

Kinematic viscosity 15 mm²/s DIN 53018 (104 °F (40 °C))

Oxidizing properties Not oxidizing.

Material name: FRIGOMET 81 N



10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability**

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Causes serious eye irritation. Eye contact

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results			
Boric acid (CAS 10043-35-3	Boric acid (CAS 10043-35-3)				
<u>Acute</u>					
Dermal					
Solid					
LD50	Rabbit	> 2000 mg/kg			
Oral					
Solid	_				
LD50	Rat	> 2600 mg/kg			
Ethanol, 2,2',2"-nitrilotris- (0	CAS 102-71-6)				
<u>Acute</u>					
Dermal					
Liquid	Dakhit				
LD50	Rabbit	> 2000 mg/kg			
Inhalation					
<i>Mist</i> LC0	Rat	1.8 mg/l, 8 hours			
	Nat	1:8 Hg/I, 6 Hours			
Oral Liquid					
LD50	Rat	6400 mg/kg			
Ethanol, 2-amino- (CAS 14		o roo mg, ng			
Acute					
Dermal					
Liquid					
LD50	Rabbit	2504 mg/kg			

Material name: FRIGOMET 81 N SDS US

40923010 Version #: 3.3 Revision date: 11-25-2019 Issue date: 04-23-2015



Components	Species	Test Results	
Inhalation			
Mist			
LC50	Rat	1487 mg/m³, 4 hours	
Oral			
Liquid			
LD50	Rat	1515 mg/kg	

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Ethanol, 2,2',2"-nitrilotris- (CAS 102-71-6)

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityNot classified. Animal ingestion studies in several species, at high doses, indicate that boric acid

can cause reproductive and developmental effects. This product is not considered to pose a reproduction/developmental risk to humans. For further information, please refer to section 15.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Not available.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

 $contents/container\ in\ accordance\ with\ local/regional/national/international\ regulations.$

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Material name: FRIGOMET 81 N sps us

40923010 Version #: 3.3 Revision date: 11-25-2019 Issue date: 04-23-2015



14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200. This product is not known to be a "Hazardous Chemical" as defined

by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are identified as active on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

US state regulations

Not regulated.

Food and Drug

Administration (FDA)

Not regulated.

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Boric acid (CAS 10043-35-3)

US. California Proposition 65

Not Listed.

Material name: FRIGOMET 81 N sps us

40923010 Version #: 3.3 Revision date: 11-25-2019 Issue date: 04-23-2015



Further information Weight of evidence: In the European Union, boric acid containing products are not classified as

toxic for reproduction if the content of boric acid is below 5.5% (Regulation (CE) 1272/2008 and

adaptations to technical progress).

16. Other information, including date of preparation or last revision

 Issue date
 04-23-2015

 Revision date
 11-25-2019

Version # 3.3

HMIS® ratings Health: 1

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 0 Instability: 0

NFPA ratings



Ratings of aqueous dilution HMIS® ratings when diluted to 20% or less: Health: 0, Flammability: 0, Physical Hazard: 0.

NFPA ratings when diluted to 20% or less: Health: 0, Flammability: 0, Instability: 0.

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available. The editor cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product,

and to assume liability for loss, injury, damage or expense due to improper use.

Revision information Product and Company Identification: Alternate Trade Names

Hazard(s) identification: Supplemental information

Composition / Information on Ingredients: Disclosure Overrides

Physical & Chemical Properties: Multiple Properties

Physical and chemical properties: Odor

Approved. TR25112019

Material name: FRIGOMET 81 N SDS US